

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	: Isao WASEDA et al.	Group Art Unit: 3749
Appln. No.	: 10/563,282	Examiner: Gregory WILSON
Filed	: January 4, 2006	Confirmation No.: 4305
For	: HEAT EXCHANGER TUBE PANEL MODULE, AND METHOD OF CONSTRUCTING EXHAUST HEAT RECOVERY BOILER USING THE SAME	

**AMENDMENT & RESPONSE UNDER 37 CFR § 1.111**

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop Amendment  
Randolph Building  
401 Dulany Street  
Alexandria VA 22314

Sir:

In response to the Official Action dated July 5, 2007, setting a shortened three-month statutory period for response to expire on October 5, 2007, Applicants respectfully request reconsideration and withdrawal of the outstanding rejections in view of the herein-contained a remarks. However, if any extension of time is necessary, this is an express request for any necessary extension of time and authorization to charge any required extension of time fee or any other fees which may be required to preserve the pendency of the present application to Deposit Account No. 19-0089.

**Amendments to the Claims** are reflected in the listing of claims which begin on page 2 of this document.

**Remarks/Arguments** begin on page 7 of this document.